

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S119	12	blink\$3 near1 pattern\$2 near3 (controller or controlling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/24 16:31
S120	34	blinking pattern\$2 with information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/24 16:35
S121	4	blinking pattern\$2 and (hot-plug or hot plug)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/24 16:36
S122	9	blinking pattern\$2 and (pci or pci-x)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/24 16:37
S123	5	blink\$3 pattern\$2 and (hot-plug or hot plug)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/24 16:37
S124	6	blink\$3 pattern\$2 and (hot-plug or hot plug)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/24 16:40
S125	91	blink\$3 and (hot-plug or hot plug)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/24 16:40

## EAST Search History

S126	124	(hot-plug pci controller\$2) or (hot-plug controller\$2) or (hot plug pci controller\$2) or (hot plug controller\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/25 12:42
S127	111	(hot plug or hot-plug) with controller\$2 same (pci or peripheral control interconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/27 08:36
S128	96	S126 and S127	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/25 12:43
S129	139	S126 or S127	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/25 12:44
S130	13	shpc and pci	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/25 12:44
S131	13	standard (hot plug or hot-plug) near2 controller\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/25 12:45
S132	18	S130 or S131	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/25 12:45
S133	57	(pci-e or pci-express or pci express) and (hot-plug or hot plug)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/25 13:14

## EAST Search History

S134	25	S133 and server\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/25 13:23
S135	70	S129 and ("LED" or indicator\$2 or flash\$3 or blink\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/25 13:37
S136	68	S135 and (pci or peripheral near2 interconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/25 13:37
S137	60	S129 and ("LED" or indicator\$2 or blink\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/25 13:37
S138	58	S137 and (pci or peripheral near2 interconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/25 14:24
S139	2	("6772263").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/03/25 13:46
S140	1	S138 and (pci-e or pci-express or pci express)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/25 14:35
S141	1295	blink\$3 with pattern\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/25 14:35

## EAST Search History

S142	87	S141 with turn\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/25 14:36
S143	124	(hot-plug pci controller\$2) or (hot-plug controller\$2) or (hot plug pci controller\$2) or (hot plug controller\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/27 08:36
S144	124	S143	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/27 08:37
S145	30	S143 and (LED or indicator\$2) with ("on" or blink\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/27 08:42
S146	344	pci and blinking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/27 08:42
S147	1	(dual-slot or dual slot) and (hot-plug or hot plug)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	ADJ	OFF	2006/03/27 09:27
S148	19181	(led or indicator) with error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/27 11:59
S149	33	(led or indicator) with error near2 (hard or soft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/27 11:59

## EAST Search History

S150	121	(hot-plug or hot adj plug) adj controller	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	ADJ	OFF	2006/03/27 13:27
S151	121	S150	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	ADJ	OFF	2006/03/27 13:27
S152	1	S151 same sram	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	ADJ	OFF	2006/03/27 13:27
S153	3290	(led or indicator\$2) same (blink\$3 or flashes or flashing) same (error\$2 or problem\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/28 13:26
S154	2362	(led or indicator\$2) with (blink\$3 or flashes or flashing) same (error\$2 or problem\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/28 13:26
S155	1057	(led or indicator\$2) with (blink\$3 or flashes or flashing) with (error\$2 or problem\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/28 13:27
S156	15	(led or indicator\$2) with (blink\$3 or flashes or flashing) with (error\$2 or problem\$2) and (hot-plug or hot plug)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/28 13:39
S157	98	(led or indicator\$2) with (blink\$3 or flashes or flashing) with (error\$2 or problem\$2) same (pattern\$2 or arrangement\$2 or style\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/28 13:46

## EAST Search History

S158	61	(led or indicator\$2) with (blink\$3 or flashes or flashing) with (error\$2 or problem\$2) with (pattern\$2 or arrangement\$2 or style\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/28 13:52
S159	1	(led or indicator\$2) with (blink\$3 or flashes or flashing) with (error\$2 or problem\$2) with (pattern\$2 or arrangement\$2 or style\$2) same (hard or soft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/28 15:14
S160	2	S157 and (hard or soft) with error\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/28 13:47
S161	6	S158 and pci	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/28 13:52
S162	2	(led or indicator\$2) with (blink\$3 or flashes or flashing) with (disabl\$3) with (pattern\$2 or arrangement\$2 or style\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/28 15:15
S163	10	(led or indicator\$2) with (blink\$3 or flashes or flashing) with (disabl\$3) same (pattern\$2 or arrangement\$2 or style\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/28 15:15